

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 2179 | 709/220 and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 06:55 |
| 2 | 0 | 709/220 and (discovery near message with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 06:58 |
| 3 | 12 | (discovery near message with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:01 |
| 4 | 21 | (discover\$ near message with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:04 |
| 5 | 1 | (discover\$ near message with node with response) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:06 |
| 6 | 1 | 09/754554 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:06 |
| 7 | 0 | (discover\$ near message same node same response same enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:07 |
| 8 | 6 | (discover\$ same message same node same response same enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:09 |
| 9 | 151 | (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:09 |
| 10 | 3 | 709/220 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:10 |

| | | | | |
|----|----|--|---|---------------------|
| 11 | 1 | 709/222 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:11 |
| 12 | 3 | 709/223 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:11 |
| 13 | 2 | 709/225 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:12 |
| 14 | 4 | 709/227 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:13 |
| 15 | 2 | 709/228 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:15 |
| 16 | 2 | 709/237 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:19 |
| 17 | 47 | 709/\$ and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:17 |
| 18 | 13 | 709/\$ and (message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:21 |
| 19 | 4 | 340/825 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:20 |
| 20 | 0 | 340/10.1 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:20 |
| 21 | 0 | 340/10.3 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:20 |

| | | | | |
|----|----|---|---|---------------------|
| 22 | 0 | 340/10.4 and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:20 |
| 23 | 56 | 340/\$ and (message with node same response with enabl\$) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:21 |
| 24 | 13 | 340/\$ and (message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:23 |
| 25 | 29 | 370/\$ and (message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:25 |
| 26 | 0 | 370/\$ and (discover\$ near3 message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:27 |
| 27 | 1 | 370/\$ and (discover\$ near3 message with node and response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:26 |
| 28 | 0 | 370/\$ and (discover\$ with message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:27 |
| 29 | 0 | (discover\$ with message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:28 |
| 30 | 1 | (discover\$ with message with node and response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:27 |
| 31 | 1 | (discover\$ with message with node and response with enabl\$ with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:27 |
| 32 | 45 | (message with node same response with enabl\$ near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:56 |

| | | | | |
|----|-----|---|---|---------------------|
| 77 | 290 | (message with node same response with (disconnect\$ connect\$ disabl\$ enabl\$) near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 07:57 |
| 78 | 5 | (discover\$ with message with node same response same (disconnect\$ connect\$ disabl\$ enabl\$) near3 node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 08:00 |
| 79 | 10 | (discover\$ with message with node same response same (disconnect\$ connect\$ disabl\$ enabl\$) with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 08:01 |
| 80 | 16 | (discover\$ with message with node same reply same (disconnect\$ connect\$ disabl\$ enabl\$) with node) and (@ad<20010104 @rlad<20010104) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/05/03 08:02 |